



california **water** technologies LLC

8851 Dice Road Santa Fe Springs, CA 90670

(866) 337-7427

Liquid Ferrous Chloride

CALIFORNIA WATER Technologies Liquid Ferrous Chloride is a concentrated solution of Iron II Chloride (FeCl_2) in water. Produced from high purity raw materials it is the result of the dissolution of Iron Oxide and Iron in Hydrochloric Acid.

Principal Uses in Wastewater Treatment

- Phosphate Precipitation and Removal
- Elimination of Sulfide Based Odors
- Reduction of Arsenic and Mercury
- Hexavalent Chrome Reduction
- Struvite Control
- pH Adjustment

For Additional Information or to Place Orders Call: 866-337-7427

Specifications

Appearance:	A clear green to hazel colored solution
Concentrations:	
FeCl_2	16% to 37%, as required
Free Acid as HCl	4.0% maximum
Insolubles	0.5% maximum
Specific gravity:	1.14 to 1.33
Crystallization:	15.0% FeCl_2 - 9°C; 30.4% FeCl_2 - 37° C; 37.0% FeCl_2 - 12° C
CAS No.:	7758-94-3
UN Classification:	Corrosive; NA1760; Ferrous Chloride Solution SQC data available on request

Document Number.:
CWT

Page 1 of 2

Revision No.:
3

Revision Date:
1/18/2011

Shipping containers:

55 gallon drums
4000 gallon tank trucks

Shipping Points

Santa Fe Springs, CA

Handling & Safety

Ferrous Chloride is considered to be hazardous by definition of the Hazard Communication Standard (29 CFR 1910.1200) and should be handled in a manner that is consistent with acceptable practices. Please obtain the Ferrous Chloride Material Safety Data Sheet for complete up-to-date information.

Under normal situations the only protective equipment required in the use and handling of Liquid Ferrous Chloride are splash proof chemical goggles and rubber gloves. Liquid Ferrous Chloride will stain both clothing and skin and it is recommended that, to protect against this occurrence, other protect clothing be worn as is appropriate.

Ferric Chloride reacts with many metals. However, most handling situations are reliably addressed through the use of common plastic materials such as FRP, PVC, Polyethylene, Polypropylene and Teflon. For additional information consult your equipment supplier.

CALIFORNIA WATER Technologies
Serving Water and Wastewater Plants throughout
the World

This bulletin and the information contained herein are offered solely for your consideration, investigation and verification. NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OTHERWISE, ARE MADE OR CONTAINED HEREIN. CALIFORNIA WATER Technologies' exclusive responsibility for any claims, including claims based on negligence, arising in connection with the information contained herein or the subsequent purchase, use, storage or handling of the product will in no event exceed CALIFORNIA WATER Technologies' sale price for the product with respect to which damages are claimed. In no event will CALIFORNIA WATER Technologies be liable for any incidental or consequential damages arising in connection with the information contained herein or the subsequent purchase, use, storage or handling of the product. User accepts full responsibility for compliance with all applicable Federal, state and local laws and regulations. Nothing contained herein will be construed to constitute permission or a recommendation to use the product in any process or formulation covered by a patent a patent application owned by CALIFORNIA WATER Technologies or by others.

Document Number.: CWT	Page 2 of 2	Revision No.: 3	Revision Date: 1/18/2011
--------------------------	-------------	--------------------	-----------------------------